



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBEGM-745-064
Job Sheet 183846



00600

Part No: RBEGM-745-064

Job Qty: 1 ea

Part Name: Removal/Installation-Motor Pump Cartridge (Forward Main Tank)



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 9/27/18

Job Tracking No:

Due Date: 10/18/18

Created By: Patrick Lussier

Type: Stock

Description:

Note: DWG RBEGM-745-064 Rev 0 IPP Rev A 18.04.10 new issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Purchasing	1 pcs		10/18/18	0.00	0.00	Purchasing		OCT 18 2018
110	Packaging	1 pcs		10/18/18	0.00	0.00	Packaging2		OCT 18 2018
120	QC	1 pcs		10/18/18	0.00	0.00	QC6		38
130	Small Fab	1 pcs		10/18/18	0.00	0.50	Small Fab-4		MLC 3-89 DAS
140	QC	1 pcs		10/18/18	0.00	0.00	QC5		18
150	Packaging	1 pcs		10/18/18	0.00	0.00	Packaging3-1		MLC -89
160	QC21-FG	1 Ea		10/18/18	0.00	0.00	QC21		OCT 23 2018

Part Op 100 - Issue PO to ARROW TECH MACHINE WORKS P/O: 041174 MANUFACTURE RBEGM-745-064 AS PER Descriptions: DWG -Certificate of conformity is required

130 - 1-Engrave placard RB41011 using marktronic engraver 2-Transfer drill Dart placard RB41011 into Pelican case APP-1400-E 3-Deburr holes and remove chips from case. 4-Rivet Dart placard to Pelican case 5-Glue foam to case and pack case as per DWG.

SEP 27 2018 x 1 R h

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
RBEGM-745-064P	Removal/Installation-Motor Pump Cartridge (Forward Main Tank)	1 Ea (1 ea)	100-Purchasing	5119450
97524A032	Sealing Blind Rivet - NA	4 Ea (4 ea)	130-Small Fab	5089128
APP-1400-E	Case	1 Ea (1 ea)	130-Small Fab	5119556
RB41011	Dart Tooling Placard, Aluminum	1 Ea (1 ea)	130-Small Fab	5021043
RBEGM-745-064-35	Bottom Tool Cushion use in case APP-1400-E	1 Ea (1 ea)	130-Small Fab	6119558
RBEGM-745-064-37	Top Tool Cushion use in case APP-1400-E	1 Ea (1 ea)	130-Small Fab	5119560

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	RBEGM-745-064P	1	0	0
130-Small Fab	97524A032 - N/A	4	999	0
	APP-1400-E	1	8	0
	RB41011	1	773	0
	RBEGM-745-064-35	1	0	0
	RBEGM-745-064-37	1	0	0



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S119482



Part: RBEGM-745-064

Job No: 183846

Serial No/Batch: S119482

Revision: 0

Inspector:

Exp Date:

Instructions:


Date: 10/16/16

Part Specifications
Specifications could not be found.

Plex 9/27/18 1:58 PM dart.Lussier.Patrick

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL





ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	RING	6061	Ø5 X 1/4	2
	X		-3	1	SOCKET WELDMENT			3
	1		-5		BASE	4140 Q & T	Ø5/8 X 2-3/8	4
	1		-7		SOCKET	STEEL	1/4 DRIVE 3/8 GRAINGER #6ECZ3(MODIFIED)	5
	2	B/O	-9		DOWEL PIN	STEEL	2mm X 10mm MCMaster-CARR #91595A026	3
X			-11	1	PULLER ASSY			6
1			-13		TOP	6061	1 X 1-5/8 X 4	7
1			-15		SIDE	6061	3/8 X 1-5/8 X 2-5/8	8
1			-17		SIDE 2	6061	3/8 X 1-5/8 X 2-5/8	9
1			-19		KNOB	6061	Ø1-7/8 X 1-7/8	10
1			-21		CROSS BRACE	1018	5/16 X 7/8 X 3-7/8	11
2			-23		ROD	STRESS PROOF	Ø1/2 X 1-1/4	12
1			-25		STUD	STEEL	M12 x 1.75 MCMaster-CARR #99055A135 (MODIFIED)	13
1		B/O	-27		BEARING	STEEL	FAG 51102	6
4		B/O	-29		SOCKET HEAD CAP SCREW	STEEL	M4 x .07 X 16 MCMaster-CARR #95263A273	6
2		B/O	-31		SOCKET HEAD CAP SCREW	STEEL	M4 x .7 X 12 MCMaster-CARR #95263A260	6
		B/O	-33	1	CASE		PELICAN #APP-1400-E	NS
			-35	1	BOTTOM TOOL CUSHION	Y-20, BLACK	3.95 X 9.08 X 11.98	14
			-37	1	TOP TOOL CUSHION	C200 FLAT, BLACK	1.2 X 9.08 X 11.98	15
		B/O	-39	1	RED BARN PLACARD	ALUMINUM	RB41009	NS

RED BARN MACHINE FUEL CARTRIDGE PULLER		TITLE
		REV
DWG NO.		REV
RBEGM-745-064		
MATERIAL		DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		APPROVED <i>D. Weil</i>
.XXX ± .005 FRACTIONS ± 1/32		HEAT
.XX ± .01 ANGLES ± 5°		TREAT
.X ± .1		FINISH
1. BREAK ALL SHARP EDGES .015 x 45°		SPEC
OR .015R		
2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL
		EC135
SCALE 1:4	DATE 5/3/2012	SHEET 1 OF 15

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
APPROVED			




(-1)
RING

RED BARN MACHINE	
FUEL CARTRIDGE PULLER	
DWG NO.	RBEGM-745-064-1
MAT'L 6061	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT
.XX ± .01 ANGLES ± 5°	TREAT
.X ± .1	FINISH CLEAR ANODIZE
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC MIL-A-8625F, TYPE II, CLASS I
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL EC135
SCALE 1:4	DATE 4/4/2012
SHEET 2 OF 15	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
APPROVED			





(3)
SOCKET WELDMENT

RED BARN MACHINE	
FUEL CARTRIDGE PULLER	
DWG NO. RBEGM-745-064-3	
REV	
DRAWN BY: GILBERT	
APPROVED <i>D. Weid</i>	
HEAT TREAT	
FINISH CAD PLATE YELLOW	
SPEC	
USED ON MODEL	
EC135	
SCALE 1:4	DATE 4/4/2012
SHEET 3 OF 15	

MAT'L
UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
.XXX ± .005 FRACTIONS ± 1/32
.XX ± .01 ANGLES ± 5°
.X ± .1
1. BREAK ALL SHARP EDGES .015 x 45°
OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER
PLATING

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
			APPROVED




(-5)

BASE



RED BARN MACHINE	
FUEL CARTRIDGE PULLER	
DWG NO.	REV
RBEGM-745-064-5	
MAT'L 4140 Q & T	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT
.XX ± .01 ANGLES ± 5°	TREAT
.X ± .1	FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
SCALE 1:1	EC135
DATE 4/4/2012	SHEET 4 OF 15

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



SECTION C-C



NOTE:
REMOVE ALL MANUFACTURE PART MARKINGS.



(-7)
SOCKET

 RED BARN MACHINE	
TITLE FUEL CARTRIDGE PULLER	
DWG NO. RBEGM-745-064-7	
MAT'L STEEL	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005 .XX ± .01 .X ± .1	FRACTIONS ± 1/32 ANGLES ± .5°
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 2:1	
DATE 12/14/2012	
SHEET 5 OF 15	


DRAWN BY: GILBERT	
APPROVED <i>D Weil</i>	
HEAT	TREAT
FINISH	SPEC
USED ON MODEL	
EC135	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



SECTION A-A
SCALE 1 : 2






(-11)
PULLER ASSY



RED BARN MACHINE	
FUEL CARTRIDGE PULLER	
DWG NO.	RBEGM-745-064-11
MAT'L	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED: <i>D Weil</i>
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± 5°
.X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	HEAT TREAT FINISH
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SPEC
	USED ON MODEL
	EC135
SCALE 1:3	DATE 5/2/2012
	SHEET 6 OF 15

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL






-13

TOP

RED BARN MACHINE	
FUEL CARTRIDGE PULLER	
TITLE	
DWG NO. RBEGM-745-064-13	
REV	
MATERIAL 6061	
DRAWN BY: GILBERT	
APPROVED <i>D Weil</i>	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005 FRACTIONS ± 1/32	
.XX ± .01 ANGLES ± 5°	
.X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SPEC MIL-A-8625F, TYPE II, CLASS I	
USED ON MODEL EC135	
SCALE 1:2	DATE 4/4/2012
SHEET 7 OF 15	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL





(-15)

SIDE

 RED BARN MACHINE	
FUEL CARTRIDGE PULLER	
DWG NO. RBEGM-745-064-15	
MAT'L 6061	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX $\pm$.005 FRACTIONS $\pm$ 1/32 .XX $\pm$.01 ANGLES $\pm$ 5° .X $\pm$.1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: GILBERT	
APPROVED <i>D. Weil</i>	
HEAT TREAT FINISH CLEAR ANODIZE	
SPEC MIL-A-8625F, TYPE II, CLASS I USED ON MODEL EC135	
SCALE 1:1	DATE 4/4/2012
SHEET 8 OF 15	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL







(-17)

SIDE 2

RED BARN MACHINE	
FUEL CARTRIDGE PULLER	
DWG NO.	RBEGM-745-064-17
MAT'L 6061	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX $\pm$.005	FRACTIONS $\pm$ 1/32
.XX $\pm$.01	ANGLES $\pm$ 5°
.X $\pm$.1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	HEAT TREAT
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	FINISH CLEAR ANODIZE
SCALE 1:1	DATE 4/4/2012
SHEET 9 OF 15	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
APPROVED			






-19
KNOB

RED BARN MACHINE	
TITLE FUEL CARTRIDGE PULLER	
DWG NO. RBEGM-745-064-19	REV
MAT'L 6061	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± 5°
.X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:1	DATE 4/4/2012
SHEET 10 OF 15	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL





(-21)

CROSS BRACE

RED BARN MACHINE	
FUEL CARTRIDGE PULLER	
DWG NO.	RBEGM-745-064-21
MAT'L 1018	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX $\pm$.005	FRACTIONS $\pm$ 1/32
.XX $\pm$.01	ANGLES $\pm$ 5°
.X $\pm$.1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:1	DATE 5/2/2012
SHEET 11 OF 15	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
APPROVED			




(-23)
ROD

RED BARN MACHINE	
FUEL CARTRIDGE PULLER	
DWG NO.	REV
RBEGM-745-064-23	
MAT'L	STRESS PROOF
DRAWN BY: GILBERT	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
APPROVED <i>D. Weil</i>	
HEAT TREAT	
FINISH BLACK OXIDE	
SPEC	
USED ON MODEL	
EC135	
SCALE	DATE
1:1	5/2/2012
SHEET 12 OF 15	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
APPROVED			





(-25)
STUD

 RED BARN MACHINE	
TITLE FUEL CARTRIDGE PULLER	
DWG NO. RBEGM-745-064-25	REV
MAT'L STEEL UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	DRAWN BY: GILBERT APPROVED <i>D Weil</i> HEAT TREAT FINISH BLACK OXIDE SPEC USED ON MODEL EC135
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:1	DATE 4/4/2012 SHEET 13 OF 15


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



(-35)



BOTTOM TOOL CUSHION



 RED BARN MACHINE	
TITLE FUEL CARTRIDGE PULLER	
DWG NO. RBEGM-745-064-35	REV 1
MAT'L Y-20, BLACK UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX $\pm$.005 .XX $\pm$.01 .X $\pm$.1 FRACTIONS $\pm$ 1/32 ANGLES $\pm$.5° 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	DRAWN BY: GILBERT APPROVED: <i>D Weil</i> HEAT TREAT: FINISH: SPEC: USED ON MODEL: EC135
SCALE 1:3	DATE 5/3/2012
SHEET 14 OF 15	


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



(-37)

TOP TOOL CUSHION



RED BARN MACHINE	
FUEL CARTRIDGE PULLER	
DWG NO.	REV
RBEGM-745-064-37	
MAT'L C200 FLAT, BLACK	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D West</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT
.XX ± .01 ANGLES ± 5°	TREAT
.X ± .1	FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
SCALE 1:4	EUROCOPTER
DATE 5/3/2012	SHEET 15 OF 15



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO041174

Supplier: ARR002-VU
Arrow Tech Machine Works
29751 E. Enid Road,
Unit C
Eugene, OR 97402 USA
Phone: 541-780-6938
Fax: 458-215-4938

PO No: PO041174
PO Date: 9/27/18
Due Date: 10/18/18
**Purchase Order
Revision:**
Revision Date:
Ship-To Contact: Phone:

Ship To:

Pynt Terms: Net 30
Freight Terms:
Special Comments:

Items

Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1	183846	RBEGM- 745- 064P			Removal/Installation- Motor Pump Cartridge (Forward Main Tank)	Firmed	-	10/18/18	1 Ea	0 Ea	1 Ea	\$1,563.00/Ea	\$1,563.00
					1 X OCT 18 2018								
2	183847	RBEGM- 745- 064P			Removal/Installation- Motor Pump Cartridge (Forward Main Tank)	Firmed	-	10/18/18	1 Ea	0 Ea	1 Ea	\$1,563.00/Ea	\$1,563.00
					1 X OCT 18 2018								
Grand Total:												\$3,126.00	

DAS
38
1-89


Order Notes

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Procurement Quality Clauses

- A005 RIGHT OF ENTRY
- A007 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION MAINTAINED BY SUPPLIER)
- A012 CHEMICAL AND PHYSICAL TEST REPORTS
- A016 PERSONNEL QUALIFICATION
- A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)
- A026 CERTIFICATION OF MATERIAL CONFORMANCE
- A041 QUALITY MANAGEMENT SYSTEM
- A042 DART NOTIFICATION BY SUPPLIER
- A043 RETENTION OF QUALITY DOCUMENT
- A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM
- A049 SUPPLIER AWARENESS

Plex 9/27/18 2:08 PM dart.Lussier.Patrick



**PHGE Machineworks dba
Arrowtech Machineworks**
29751 E Enid Rd. Unit C
Eugene, Oregon 97402
Phone: (541) 780-6938
Fax: (458) 215-4938

Packing Slip

NO. 289

Date: 10/17/2018 ✓
PO Ref: 041174 ✓
Ship via: Fedex Priority

Bill To:
Dart Aerospace
1270 Aberdeen St. Hawkesbury, ON
CANADA K6A 1K7

Ship To:
Dart Aerospace
1271 Aberdeen St. Hawkesbury, ON
CANADA K6A 1K8

Qty	Item	Part No.
1 ✓	REMOVAL/INSTAL. MOTOR PUMP CART.	RBEGM-745-064 ✓
1 ✓	REMOVAL/INSTAL. MOTOR PUMP CART.	RBEGM-745-064 ✓


DAS
38
9-89

Received by: _____

Packaged by: Mr.

Checked by: C.E.

Thank You



ARROW TECH MACHINE WORKS

Certificate of Conformance

Your Purchase Order No: 041174 ✓

Dated: 10/17/2018

Our Order / Job No: 041174-01AWT

Order Qty: 2 ✓

Part Name: FUEL CARTRIDGE PULLER

Part Number: RBEGM-745-064 ✓

Lot Size: N/A Ship Date: 10/17/2018

We certify that these parts shipped to you are of domestic or international manufacture and conform to all requirements of the Purchase Order. These parts have been manufactured and inspected in accordance with all required specifications, instructions and drawings. Any applicable specifications are listed below:

Drawing Number: RBEGM-745-064

Rev: 0

Material Size and Type: -1,-13,-15,-17,& -19/6061 ALUM; -5/4140 STEEL Q&T; -21/ 1018 STEEL; -23/STRESS PROOF STEEL

Material Specifications: STEEL: ASTM A108, ASTM A29; ALUM.: ASTM B221; STRESS PROOF STEEL: ASTM A108 ASTM A29

Heat Treatment: N/A

Plating/Finish: CLEAR ANODIZE: MIL-A-8625F, TYPE II, CLASS I; BLACK OXIDE: QMSI-6.2.2 B.O. REV D; ZINC PLATE: ASTM B66 TYPE I SC 2

Mercury Contamination: The material used to process this order has not come in contact with mercury or mercury bearing instruments.

Date: 10/17/18

Signed: Hemat M. Ghalib

PHGE Machine Works LLC dba Arrow Tech Machine Works
29751 E. Enid Rd. Unit C Eugene, Oregon 97402
Main: (541) 780-6938 | Fax: (458) 215-4938
www.atechmachineworks.com

QAS
38
9-89